

A	
Acid Reflux Disease	Protocol 1000
Acne	Protocol 1000, protocol 3000 application to affected area once per day, spray solution (10 drops per ounce) application hourly for another 8-9 hours, bag protocol once per day to treat areas other than face
Allergies	Protocol 1000. Depending on type of allergy, once daily baths, bag protocol, spray bottle protocol (10 drops per ounce) and/or inhalation therapy (using no more than 2 activated drops MMS and breathing very lightly)
ADHD (Attention Deficit Hyperactivity Disorder)	Protocol 1000
Altitude Sickness	Protocol 1000 in advance of exposure to high altitude is best, but at sudden onset administer 6 and 6 protocol and then go to protocol 1000
Alzheimer's Disease	Protocol 1000 and then 2000 if no progress in 2 weeks
Andropause	Protocol 1000
Anorexia Nervosa	Protocol 1000
Arthritis	Protocols 1000 and 3000
Aspergers Syndrome	Protocol 1000
Asthma	Protocol 1000 and inhalation therapy (caution: use no more than 2 activated drops MMS and breathe lightly)
Autism	Protocol 2000 (increase dose amounts very slowly), enemas with or without DMSO
B	
Back Pain	Protocol 1000, protocol 3000 applied once only to affected area, enema protocol
Bladder Cancer	Protocols 2000 and 3000
Bone Cancer	Protocols 2000 and 3000, bath protocol, bag protocol, enema protocol, inhalation therapy (use no more than 2 activated drops MMS and breathe gently)
Bad Breath (Halitosis)	Protocol 1000, tooth and tongue brushing with 10 activated drops MMS per ounce water solution
Baldness	Spray mixture (10 activated drops per ounce) on scalp once per hour for 10 hours per day, Protocol 1000

Bipolar Disorder	Protocol 1000
Brain Cancer	Protocols 2000 and 3000, bath protocol, bag protocol, enema protocol, inhalation therapy (use no more than 2 activated drops MMS and breathe gently)
Brain Injury	Protocol 1000
Brain Tumors	Protocols 2000 and 3000, bath protocol, bag protocol, enema protocol, inhalation therapy (use no more than 2 activated drops MMS and breathe gently)
Breast Cancer	Protocols 2000 and 3000, douche with 25 activated drops in one liter water every other day (this has been successful for women because it gets the MMS to the breast via the cervix), bath protocol, bag protocol, enema protocol, inhalation protocol (use no more than 2 activated drops MMS and breathe gently)
Bronchitis	Protocol 1000, inhalation therapy (use no more than 2 drops activated MMS and breathe gently), protocol 3000 one time only per day to chest
Burns	Directly apply unactivated MMS to burn only 3-5 minutes, then rinse it off. If you do not understand any part of "rinse it off", then do not do this!
Bursitis	Protocol 1000, protocol 3000 only 1-3 times per day to affected areas, bath protocol
C	
Cancer	Protocols 2000 and 3000, bath protocol, bag protocol, enema protocol, inhalation protocol (use no more than 2 drops of activated MMS and breathe gently)
Canker Sores/Cold Sores	Protocol 1000, spray bottle protocol (10 activated drops per ounce)
Carpal Tunnel Syndrome	Protocol 1000, Protocol 3000 application to affected area 1-3 times per day
Celiac Disease	Protocol 1000, enema protocol
Cervical Cancer	Protocols 2000 and 3000, douche protocol, enema protocol, bath protocol, bag protocol, inhalation protocol (use no more than 2 activated drops MMS and breathe gently)
Cholesterol	Protocol 1000
Chronic Obstructive Pulmonary Disease (COPD)	Protocol 1000, inhalation therapy (use no more than 2 activated drops MMS and breathe lightly)
Colon Cancer	Protocol 2000 and 3000, enema protocol, bath protocol, bag protocol, inhalation therapy (use no more than 2 activated drops MMS and

	breathe gently)
Congestive Heart Failure	Protocol 1000
Cradle Cap	Spray scalp with spray bottle solution (10 drops MMS per ounce water)
Crohn's Disease	Protocol 1000, enema protocol
Candida	Protocol 1000, enema protocol, bag protocol, douche protocol for females, bath protocol
Conjunctivitis	Prepare a solution of 4 activated drops MMS in 1/2 cup water and drop 2-3 drops in each eye every hour until well; protocol 1000
D	
Dandruff	Spray scalp with spray bottle solution (10 activated drops MMS per 1 ounce water) several times per day. Causes bleaching over time.
Deep Vein Thrombosis	Protocol 1000
Depression	Protocol 1000
Diabetes	Protocol 1000, if no results in 2 weeks, then 2000 for as long as it takes
Diaper Rash	Spray affected area with spray bottle solution (10 activated drops per ounce water)
Diarrhea	6 and 6 then protocol 1000
Diverticulitis	Protocol 1000
Down Syndrome	Protocol 1000
Drug Abuse	Protocol 1000
Dysfunctional Uterine Bleeding	Protocol 1000, douche protocol
Dyslexia	Protocol 1000
Dengue Fever	Protocol 1000
E	
Ear Infections	Activated 4 drops MMS and add 1/2 cup water. Drop several drops into affected ear and allow to penetrate deeply lying on your side.
Eating Disorders	Protocol 1000
Eczema	Spray bottle protocol (10 activated drops MMS per ounce water), protocol 1000
Endometriosis	Protocol 1000, douche protocol

Enlarged Prostate	Protocol 1000, enema protocol
Epilepsy (Seizure)	Protocol 1000
Erectile Dysfunction	Protocol 1000
Eye Problems	Activate 4 drops MMS and add 1/2 cup water. Use a dropper to put several drops in each eye every hour for 10 hours, protocol 1000
F	
Fibroids	Protocol 1000, then 2000 if no results in 2 weeks
Fibromyalgia	Protocols 1000 and 3000
Fracture	Protocol 1000
Flu	6 and 6 protocol, then protocol 1000, inhalation therapy (use no more than 2 activated drops MMS and breathe gently)
G	
Gallbladder Disease	Protocol 1000
Gallstones	Protocol 1000
Generalized Anxiety Disorder	Protocol 1000
Genital Herpes	Protocol 1000, spray bottle protocol
Genital Warts	Protocol 1000, spray bottle protocol, douche protocol
Glomerulonephritis (Nephritis)	Protocol 1000
Gonorrhea	Protocol 1000, douche protocol for females
Gout	Protocol 1000, protocol 3000 to affected joints
Gum Disease	Apply solution of 4 activated drops MMS with 1/2 cup water with toothbrush 3 times per day after meals. Brush gums, gumline and tongue well. In serious cases, may also apply DMSO with toothbrush once per day for deeper penetration.
H	
Herpes	Protocol 1000, spray bottle protocol
Headache	6 and 6 protocol, then protocol 1000
Heart Disease	Protocol 1000
Hemorrhoids	Spray bottle protocol, enema protocol, protocol 1000

Hepatitis	Protocol 1000
HIV/AIDS	Protocol 2000, protocol 3000, bath protocol, bag protocol
Hives	Protocol 1000, spray bottle protocol, bath protocol, bag protocol
Hyperglycemia (High Blood Sugar)	Protocol 1000, after 2 weeks may switch to protocol 2000 if needed
Hypertension (High Blood Pressure)	Protocol 1000
Hyperthyroidism	Protocol 1000
Hypothyroidism	Protocol 1000, 50-100mg iodine supplement daily
I	
Influenza	6 and 6 protocol, protocol 1000
Insulin Dependent Diabetes Mellitus	Protocol 1000, may switch to protocol 2000 after 2 weeks if necessary
Iron Deficiency Anemia	Protocol 1000, may also need vitamin B12 and/or iron supplements
Irritable Bowel Syndrome	Protocol 1000, enema protocol
Itching	Spray bottle protocol
J	
Joint Pain	Protocol 1000, protocol 3000 application once per day to joints
Juvenile Diabetes	Protocol 1000, may switch to protocol 2000 after 2 weeks if needed
Juvenile Rheumatoid Arthritis	Protocol 1000, protocol 3000 once per day
K	
Kidney Diseases	Protocol 1000
Kidney Stones	Protocol 1000 with lots of water
L	
Leukemia	Protocol 2000, protocol 3000, bath protocol, bag protocol
Liver Cancer	Protocol 2000, protocol 3000, enema protocol, bag protocol, bath

	protocol, inhalation protocol (use no more than 2 activated drops and breathe gently)
Lung Cancer	Protocol 2000, protocol 3000, inhalation therapy (use no more than 2 activated drops and breathe gently), bag protocol, bath protocol, enema protocol
Lyme Disease	Protocol 2000, protocol 3000, bag protocol, bath protocol
M	
Mad Cow Disease	Protocol 1000
Malaria	Give 15 drop dose, then wait 1-4 hours and give another 15 drop dose
Mesothelioma	Protocol 2000, protocol 3000, inhalation therapy (use no more than 2 drops and breathe gently), bath protocol, bag protocol
Migraine	6 & 6 protocol, then protocol 1000
Mononucleosis	Protocol 1000
Multiple Sclerosis (MS)	Protocol 2000
N	
O	
Osteoarthritis	Protocol 1000, protocol 3000
Osteomyelitis	Protocol 1000, bag protocol
Osteoporosis	Protocol 1000
Ovarian Cancer	Protocol 2000, protocol 3000, bag protocol, bath protocol, douche protocol, enema protocol, inhalation protocol (use no more than 2 activated drops and breathe gently)
Ovarian Cyst	Protocol 1000, douche protocol
P	
Parkinson's Disease	Protocol 1000, may switch to protocol 2000 after 2 weeks if necessary
Peptic Ulcers	Protocol 1000
Pink Eye	Prepare a solution of 4 activated drops MMS in 1/2 cup water and drop 2-3 drops in each eye every hour until well; protocol 1000
Polio	Protocol 1000

Pneumonia	Protocol 1000, inhalation therapy (use no more than 2 activated drops and breathe gently)
Prostate Cancer	Protocol 2000, protocol 3000, bath protocol, bag protocol, enema protocol, inhalation protocol (use no more than 2 activated drops and breathe gently)
Psoriasis	Protocol 1000, bag protocol, bath protocol, spray bottle protocol
Q	
R	
Restless Legs Syndrome	Protocol 1000
Rheumatoid Arthritis	Protocol 1000, protocol 3000
Rheumatic Fever	Protocol 1000
Ringworm	Protocol 1000, gas protocol (Activate 6 drops MMS in a clear glass and place the mouth of the glass over the boil right-side-up in such a way that no liquid touches the skin. Leave in place for 5 minutes and NO MORE. Cover with vaseline and a bandage and wait at least 4 hours before doing it again.)
Rosacea	Protocol 1000, spray bottle protocol
S	
Severe Acute Respiratory Syndrome (SARS)	6 and 6 Protocol, then protocol 1000, inhalation therapy (use no more than 2 activated drops and breathe gently)
Sinus Infections	Protocol 1000, also mix 4 activated drops MMS with 1/2 cup water and drop at least several drops into each nostril while lying down on your back on a bed and hanging your head over the edge, allowing the solution to penetrate deeply
Skin Cancer	Protocol 2000, protocol 3000 (apply solution directly to lesions), bag protocol, bath protocol
Skin Rash	Protocol 1000, spray bottle protocol, bath protocol, bag protocol
Smallpox	Protocol 1000
Staph Infection (MRSA)	Protocol 1000, gas protocol (Activate 6 drops MMS in a clear glass and place the mouth of the glass over the boil right-side-up in such a way that no liquid touches the skin. Leave in place for 5 minutes and NO MORE. Cover with vaseline and a bandage and wait at least 4

	hours before doint it again.)
Stomach Cancer	Protocol 2000, protocol 3000, enema protocol, bag protocol, bath protocol
Strep Throat	Protocol 1000, brush teeth and tongue and gargle with a solution of 10 activated drops MMS per ounce water
Sunburn	Spray bottle protocol once per hour
Syphilis	Protocol 1000, douche protocol for females, spray bottle protocol
T	
Testicular Cancer	Protocol 2000, protocol 3000, bath protocol, bag protocol
Tooth Decay	Brush teeth, gum line and tongue with 10 activated drops MMS per ounce water solution; activate 3 drops in a small glass or plastic container and place your mouth over the opening in such a way that none of the solution enters your mouth while you breathe through your nose. DO NOT INHALE FUMES. Just let the fumes into your mouth for 5 minutes and NO MORE.
Tuberculosis (TB)	Protocol 1000, inhalation protocol (use no more than 2 activated drops MMS and breathe gently)
U	
Ulcers	Protocol 1000, spray bottle protocol for skin ulcers; gas protocol for skin ulcers (Activate 6 drops MMS in a clear glass and place the mouth of the glass over the boil right-side-up in such a way that no liquid touches the skin. Leave in place for 5 minutes and NO MORE. Cover with vaseline and a bandage and wait at least 4 hours before doint it again.)
Urinary Tract Infection (UTI)	Protocol 1000
V	
Vertigo	Protocol 1000, mix 4 activated drops MMS in 1/2 cup water and drop 3-4 drops into ears every hour while laying on your side for 5 minutes (cover and keep the solution to use throughout the day)
W	

Warts	
X	
Y	
Yeast infection (Candida)	Protocol 1000, douche protocol for females, spray bottle protocol
Z	